



# Recessed

COMBINATION TOWEL/WASTE UNITS



**B-43944**

**B-43944 CONTURA SERIES PAPER TOWEL DISPENSER/WASTE RECEPTACLE** Satin-finish stainless steel. Flush tumbler lock. Dispenses 600 C-fold or 800 multifold towels. Waste receptacle has 16-gal. (60.6-L) capacity; extends 5 1/8" (130mm) from wall. Removable front panel for easy cleaning. Clips secure furnished reusable vinyl liner. Rough Wall Opening: 16" W, 54 3/4" H, 4" min. depth (405 x 1390 x 102mm). Av. Mtg. Ht.: 67-74" (1700-1880mm) to top of unit; Barrier-Free, 61 1/4" (1555mm). Patented.



**B-3944**

**B-3944 CLASSIC SERIES PAPER TOWEL DISPENSER/WASTE RECEPTACLE** Satin-finish stainless steel. Seamless beveled flange. Dispenses 600 C-fold or 800 multifold towels. Removable waste receptacle is locked into cabinet. Receptacle is 8" (205mm) deep with capacity of 12-gal. (45.4-L); extends 4 1/8" (105mm) from wall. Rough Wall Opening: 16" W, 54 3/4" H, 4" min. depth (405 x 1390 x 102mm). Av. Mtg. Ht.: 67-74" (1700-1880mm) to top of unit; Barrier-Free, 60 1/2" (1535mm).


**BARRIER-FREE WASHROOM GUIDELINES**  
COMBINATION TOWEL/WASTE UNITS. Access to paper towels should be 15" to 48" (380-1220mm) above the finish floor to allow forward and side reach by people in wheelchairs. Hinged panels covering waste receptacle openings should not require more than 5 pounds of force (22.2 N) to open. It is recommended that units projecting more than 4" (100mm) from the wall be located in corners, alcoves, or between other protruding structural elements so as not to be a hazard to blind people or interfere with required access aisles and 60" (1525mm) minimum diameter turning spaces for persons using wheelchairs.

**RECESSED, SEMI-RECESSED AND SURFACE-MOUNTED MODELS**

Standard Recessed Model	Depth of Wall Space Available				Waste Capacity
	Less than 2" (51mm) must be Surface Mounted	2" to 4" (51-102mm)	4" to 7 5/8" (102-194mm)	7 5/8" (194mm) or more	
⚡ B-3900				✓	12-gal. (45.4-L)
B-3909	✓				12-gal. (45.4-L)
⚡ B-3942		✓			12-gal. (45.4-L)
⚡ B-3944			✓	✓	12-gal. (45.4-L)
⚡ B-3949	✓				12-gal. (45.4-L)
⚡ B-43944			✓	✓	16-gal. (60.6-L)
B-43949	✓				16-gal. (60.6-L)


Reusable Heavy-Gauge Vinyl Liner: Order Part No. ⚡3944-12 for above models.

<b>PRICE</b>	<b>Contura™ Series</b>	<b>1.8</b>
	<b>TrimLine™ Series</b>	<b>1.5</b>
<b>INDEX</b>	<b>Classic™ Series</b>	<b>1.0</b>
	<b>Matrix™ Series</b>	<b>0.6</b>



**B-39003 TRIMLINE SERIES PAPER TOWEL DISPENSER/ WASTE RECEPTACLE** Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 600 C-fold, 800 multifold or 1100 singlefold towels. Removable leak-proof, 12-gal. (45.4-L) waste container. Rough Wall Opening: 16" W, 54 3/4" H, 7 7/8" min. depth (405 x 1390 x 200mm). Av. Mtg. Ht.: 67-74" (1700-1880mm) to top of unit; Barrier-Free, 60 1/2" (1535mm).

**B-390034** Similar to B-39003, but with stainless steel skirt for semi-recessing in 4" (102mm) walls.




**B-38032 TRIMLINE SERIES PAPER TOWEL DISPENSER/WASTE RECEPTACLE** Satin-finish stainless steel. Door has 90° return, conceals flange. Skirt for 4" (102mm) walls. Dispenses 600 C-fold, 800 multifold or 1100 singlefold towels. Uncovered, removable, leak-proof, 6.3-gal. (24-L) waste container. Rough Wall Opening: 11 1/2" W, 53 5/8" H, 3 3/4" min. depth (290 x 1360 x 95mm). Av. Mtg. Ht.: 67-74" (1700-1880mm) to top of unit; Barrier-Free, 60 3/4" (1545mm).

**B-380328** Similar to B-38032, but with covered waste receptacle.



**COMBINATION TOWEL/WASTE UNITS**




**B-3803 TRIMLINE SERIES PAPER TOWEL DISPENSER/ WASTE RECEPTACLE** Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses 600 C-fold, 800 multifold or 1100 single-fold towels. Removable, leak-proof, 6.3-gal. (24-L) waste container. Rough Wall Opening: 11 1/2" W, 53 5/8" H, 5 3/4" min. depth (290 x 1360 x 145mm). Av. Mtg. Ht.: 67-74" (1700-1880mm) to top of unit; Barrier-Free, 60 3/4" (1545mm).

**B-38038** Similar to B-3803, but covered receptacle.




**B-38034** Similar to B-3803, but requires 3 3/4" (95mm) min. depth. Waste capacity: 3.8-gal. (14.4-L). Dispenses C-fold and multifold towels.

**B-380349** Similar to B-38034, but with stainless steel skirt for surface mounting.



**B-3900 CLASSIC SERIES PAPER TOWEL DISPENSER/ WASTE RECEPTACLE** Satin-finish stainless steel. Seamless beveled flange. Dispenses 600 C-fold, 800 multifold or 1100 singlefold towels. Removable waste receptacle is locked into cabinet. Receptacle is 8" (205mm) deep with capacity of 12-gal. (45.4-L); extends 1/2" (13mm) from wall. Rough Wall Opening: 16" W, 54 3/4" H, 7 5/8" min. depth (405 x 1390 x 195mm). Av. Mtg. Ht.: 67-74" (1700-1880mm) to top of unit; Barrier-Free, 60 1/2" (1535mm).

# Recessed



## COMBINATION TOWEL/WASTE UNITS

**B-3961 CLASSIC SERIES ROLL TOWEL DISPENSER/WASTE RECEPTACLE** Satin-finish stainless steel. Seamless beveled flange. Accepts paper rolls 8" (205mm) wide, 800 ft (244 m) long. Delivers preset length of towel: 2 1/2", 4" or 5" (65, 100 or 125mm) per stroke. Removable, 12-gal. (45.4-L) receptacle locks into cabinet. Rough Wall Opening: 16" W, 54 3/4" H, 4" min. depth (405 x 1390 x 102mm). Av. Mtg. Ht.: 67-74" (1700-1880mm) to top of unit.



**B-39619** Similar to B-3961, but with stainless steel skirt for surface mounting.

**B-3960** Similar to B-3961, but with flush-front. Unit requires 9 5/8" (245mm) min. depth. Removable 13.8-gal. (52.2-L) waste receptacle.

**B-39601 CLASSIC SERIES ROLL TOWEL DISPENSER/WASTE RECEPTACLE** Similar to B-3961 but with flush front roll towel dispenser with lower mounted towel dispenser that provides wheelchair accessibility for forward and side approach. Interior shelf for storing supplies. Removable, 15-gal. (56.8-L) receptacle locks into cabinet. Rough Wall Opening: 16" W, 54 3/4" H, 9 5/8" min. depth (405 x 1390 x 245mm). Universal/Barrier-Free Mtg. Ht.: 62" (1575mm) to top of unit.

**B-39603 TRIMLINE SERIES ROLL TOWEL DISPENSER/WASTE RECEPTACLE** Satin-finish stainless steel. Door has 90° return, conceals flange. Dispenses paper rolls 8" (205mm) wide, 800 ft (244 m) long in preset lengths, 2 1/2", 4" or 5" (65, 100 or 125mm) per stroke. Removable, leak-proof, 8.6-gal. (32.6-L) waste container. Rough Wall Opening: 14 1/2" W, 39 5/8" H, 9" min. depth (370 x 1005 x 230mm). Av. Mtg. Ht.: 67-74" (1700-1880mm) to top of unit; Barrier-Free, 45 1/2" (1155mm).

**B-396034** Similar to B-39603, but with stainless steel skirt for semi-recessing in 4" (102mm) walls.



**B-4369 CONTURA SERIES PAPER TOWEL DISPENSER/WASTE RECEPTACLE** Satin-finish stainless steel. Flush tumbler lock. Dispenses 350 C-fold or 475 multifold towels. Waste receptacle has 3.0-gal. (11.4-L) capacity; extends 2 1/2" (65mm) from wall. Removable front panel for easy cleaning. Clips secure furnished reusable vinyl liner. Rough Wall Opening: 11 3/8" W, 26 5/8" H, 4" min. depth (290 x 675 x 102mm). Av. Mtg. Ht.: 71" (1805mm) to top of unit; Barrier-Free, 52 3/4" (1340mm). Patented.

**B-43699** Similar to B-4369, but with stainless steel skirt for surface mounting. Patented.

**B-369 CLASSIC SERIES PAPER TOWEL DISPENSER/WASTE RECEPTACLE** Satin-finish stainless steel. Seamless beveled flange. Dispenses 350 C-fold or 475 multifold towels. Knob-latch retains door. Removable waste container has 2-gal. (7.6-L) capacity. Rough Wall Opening: 12 5/8" W, 26 5/8" H, 4" min. depth (320 x 675 x 102mm). Av. Mtg. Ht.: 74" (1805mm) to top of unit; Barrier-Free, 51 1/2" (1310mm).

**B-3699** Similar to B-369, but with stainless steel skirt for surface mounting.

### REUSABLE HEAVY-GAUGE VINYL LINERS

Order Part No.:	For Model No.:
3944-12	B-3961, B-39619
368-16	B-3960
4369-22	B-4369, B-43699

<b>PRICE</b>	Contura™ Series	1.8
	TrimLine™ Series	1.5
<b>INDEX</b>	Classic™ Series	1.0
	Matrix™ Series	0.6

Note: Price index is a comparison of toilet accessories for a typical washroom of popularly specified products. Product mix may affect Price Index comparisons.